

Pyramid Easel, S. Hecker

CLAIM OR CLAIMS

What I claim as my invention is

1. The composition of matter, titled here, Pyramid Easel, as described and illustrated in these documents,  
having any material(s) or product(s) utilized,  
having any decorative treatment(s) applied, adhered or incorporated,  
in two dimensional (2D) or three dimensional (3D)  
planar or plane edges / frame or combination  
embodiments,  
in pre-assembled embodiment (Fig. 1),  
the process of assembly (Figs. 1-9),  
in assembled embodiment (Fig. 10),  
having scratch-resistant product(s) or material(s)  
and/or friction 'stoppers' applied at all or selected  
support surface contact locations in the embodiment  
(Fig. 11),  
having a stackable attribute (Fig. 12),  
having an expandability attribute (Figs. 13, 13.1,  
14, 14.1),  
having an expansion control device (Fig. 15),  
and in collapsed or mailer incorporation (Fig. 16).

Pyramid Easel, S. Hecker

2. As set forth in claim 1, the Pyramid Easel is claimed whether, for any reason, any, all, some, part(s) of, or none of the following are incorporated, applied, adhered, appended, fixed, utilized or deployed, including, the pre-assembled embodiment, the assembly process, Base 1 and/or Base 2 option pre-assembled and/or assembled embodiments and respective assembly process(es), scratch-resistant product(s) or material(s) and/or friction 'stoppers', a stackable attribute, an expandability attribute, an expansion control device, in a collapsed and/or mailer incorporation.

3. The composition of matter, titled here, Pyramid Easel, as described and illustrated in these documents, having any material(s) or product(s) utilized, having any decorative treatment(s) applied, adhered or incorporated, in two dimensional (2D) or three dimensional (3D) planar or plane edges / frame or combination embodiments,

Pyramid Easel, S. Hecker

in pre-assembled embodiment (Fig. 17),  
the process of assembly (Figs. 1-9),  
in assembled embodiment (Fig. 18),  
having scratch-resistant product(s) or material(s)  
and/or friction 'stoppers' applied at all or selected  
support surface contact locations in the embodiment  
(Fig. 11),  
having a stackable attribute (Fig. 12),  
having an expandability attribute (Figs. 13, 13.1,  
14, 14.1),  
having an expansion control device (Fig. 15 and Fig.  
18),  
and in collapsed or mailer incorporation (Fig. 16).

4. As set forth in claim 3, the Pyramid Easel is  
claimed whether, for any reason, any, all, some, parts  
of or none of the following are incorporated, applied,  
adhered, appended, fixed, utilized or deployed,  
including,  
the pre-assembled embodiment,  
the assembly process,  
Base 1 and/or Base 2 option pre-assembled and/or  
assembled embodiments and respective assembly  
process(es),  
scratch-resistant product(s) or material(s) and/or  
friction 'stoppers',

Pyramid Easel, S. Hecker

a stackable attribute,  
an expandability attribute,  
an expansion control device,  
in a collapsed and/or mailer incorporation.